

**SIMA LABS****Sophisticated Industrial Materials  
Analytic Labs Pvt. Ltd.**

(GOVT. APPROVED TESTING LABORATORIES)

Address : A-3/7, Mayapuri Industrial Area,  
Ph-II, New Delhi - 110064

Phone : +(91)-(011) 43854300

Email : reports@simalab.com

CIN No : U74899DL1988PTC031785

Website : www.simalab.net | www.simalab.com

**TEST REPORT**

Party Code

: A/DLH/20675

\*Issued to

Anurashi Imports Pvt. Ltd.

House No.-110, Ground Floor, Block BN, Shalimar Bagh,  
New Delhi-110088 . .

REPORT NO.

: MS0208000325

\*Customer Ref.No.

: NS

\*Reference Date

: 08/02/2025

Date of Sampling

: NA

Date of Receiving

: 08/02/2025

Date of Issue

: 13/02/2025

Start Date of Analysis

: 08/02/2025

Date of Completion

: 13/02/2025

Sample Condition

: OK

Sample Packing

: PET Jar

\*FSSAI Lic. No

: NS

\*Sample Qty.

: 1x500 gm

\*Batch No./Lot No.

: NS

SOP/Sampling Plan

: NS

Test Method Deviation

: NA

Sample Collection

: Sample Submitted By  
Customer

\*Sample Name

: Ghee

\*Mfg. by

: NS

\*Mfg. Date

: NS

\*Exp.Date/Best Before

: NS

**RESULTS OF ANALYSIS**

Reference : As per party's requirement

| Description : Ghee |                       |           |              |                          |                                                                   |
|--------------------|-----------------------|-----------|--------------|--------------------------|-------------------------------------------------------------------|
| S.No.              | Test Parameters       | Unit      | Result       | Limit (as per FSSR-2011) | Method                                                            |
| 1                  | Polenske Value        | -         | 0.63         | 0.5 to 2.0               | FSSAI 0.1.090:2022                                                |
| 2                  | Energy                | Kcal/100g | 897.75       | Not specified            | SIMA/FDL/STP/004                                                  |
| 3                  | Protein               | g/100g    | BLQ(LOQ 0.5) | Not specified            | IS 7219:1973                                                      |
| 4                  | Carbohydrate          | g/100g    | BLQ(LOQ 1.0) | Not specified            | IS 1656:2022                                                      |
| 5                  | Total sugars          | g/100g    | BLQ(LOQ 1.0) | Not specified            | FSSAI Manual beverage sugar and confectionary product A9&A10:2023 |
| 6                  | Added sugars          | g/100g    | BLQ(LOQ 1.0) | Not specified            | FSSAI Manual beverage sugar and confectionary product A9&A10:2023 |
| 7                  | Total fat             | g/100g    | 99.75        | Min 99.5                 | FSSAI 01.087:2022                                                 |
| 8                  | Peroxide value        | meq/kg    | 0.40         | Not specified            | IS 3508:1966                                                      |
| 9                  | Moisture              | g/100g    | 0.25         | Max 0.5                  | FSSAI 01.086:2022                                                 |
| 10                 | Reichert Meissl value | -         | 28.68        | Min 24                   | FSSAI 01.090:2022                                                 |

*Rupa Rani*

Rupa Rani

Reviewed By

Authorized Signatory

*Raman Dwivedi*

Raman Dwivedi

Technical Manager


- Remarks:
1. This Test Report is not valid without a hologram.
  2. The Results listed refer only to the above tested sample & applicable parameters. Endorsement of products is neither inferred nor implied.
  3. Liability of laboratory is limited to the invoiced amount only. Any dispute arising out of this report shall be subject to Delhi jurisdiction only.
  4. This Test Report is not to be reproduced wholly or in part as evidence in the Court of law without written permission from SIMA Labs Pvt. Ltd.
  5. The Test Report should not be used wholly or in part in any advertising media without written permission from SIMA Labs Pvt. Ltd.
  6. The sample(s) of Drugs & Cosmetics will be destroyed after one year, Perishable samples (Other than Drugs & Cosmetics) will be destroyed after 7 days and non perishable samples will be destroyed after 30 days of the date of issue of Test Report or unless otherwise specified.
  7. SIMA Labs Pvt. Ltd. will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.
  8. SIMA Labs Pvt. Ltd. will ensure all corrective action as per our policy in case of any discrepancy in any sample tested by SIMA Labs Pvt. Ltd.
  9. Re-testing charges will be applicable in case the results are reproducible.
  10. Duplicable copy will be issued on chargeable basis.
  11. SIMA Stands for : Sophisticated Industrial Materials Analytic

Page : 1 of 10

SB

\* Indicates details provided by the customer





## TEST REPORT

Party Code : A/DLH/20675

REPORT NO. : MS0208000325

| S.No. | Test Parameters                          | Unit | Result   | Limit (as per FSSR-2011) | Method            |
|-------|------------------------------------------|------|----------|--------------------------|-------------------|
| 11    | Butyro-refractometer reading at 40°C     | -    | 43.1     | 40.0-44.0                | FSSAI 01.088:2022 |
| 12    | Test for presence of mashed potatoes     | -    | Negative | -                        | IS 15642(P2):2006 |
| 13    | Test for presence of vanaspati           | -    | Negative | -                        | IS 15642(P2):2006 |
| 14    | Test for presence of oil soluble colours | -    | Negative | -                        | FSSAI 02.046:2016 |
| 15    | beta-Sitosterol                          | -    | Absent   | Absent                   | SIMA/INS/STP/028  |

### Fatty acids profile:

|    |                             |         |                  |               |                  |
|----|-----------------------------|---------|------------------|---------------|------------------|
| 16 | Saturated fatty acids       | g/100g  | 71.29            | Not specified | SIMA/INS/STP/015 |
| 17 | Monounsaturated fatty acids | g/100g  | 25.30            | Not specified | SIMA/INS/STP/015 |
| 18 | Polyunsaturated fatty acids | g/100g  | 3.37             | Not specified | SIMA/INS/STP/015 |
| 19 | Sodium                      | mg/100g | 6.91             | Not specified | SIMA/INS/STP/004 |
| 20 | Trans fat                   | g/100g  | BLQ (LOQ - 0.05) | Not specified | SIMA/INS/STP/015 |
| 21 | Cholesterol                 | mg/100g | 230.50           | Not specified | SIMA/INS/STP/028 |

### Pesticide residues:

|    |                                                             |       |                  |           |                  |
|----|-------------------------------------------------------------|-------|------------------|-----------|------------------|
| 22 | 2,4-D Amine Salt                                            | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01 | SIMA/INS/STP/003 |
| 23 | 2,4-Dichlorophenoxy Acetic Acid                             | mg/kg | BLQ (LOQ - 0.01) | Max. 0.05 | SIMA/INS/STP/003 |
| 24 | Abamectin                                                   | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01 | SIMA/INS/STP/003 |
| 25 | Acephate (expressed as mixture of Methamidophos & acephate) | mg/kg | BLQ (LOQ - 0.01) | Max. 0.02 | SIMA/INS/STP/003 |
| 26 | Acetamiprid                                                 | mg/kg | BLQ (LOQ - 0.01) | Max. 0.02 | SIMA/INS/STP/003 |
| 27 | Alachlor                                                    | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01 | SIMA/INS/STP/003 |
| 28 | Alpha Cypermethrin                                          | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01 | SIMA/INS/STP/003 |
| 29 | Alpha naphthyl Acetic Acid                                  | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01 | SIMA/INS/STP/003 |
| 30 | Ametroctradin                                               | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01 | SIMA/INS/STP/003 |
| 31 | Ametyrn                                                     | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01 | SIMA/INS/STP/003 |
| 32 | Anilophos                                                   | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01 | SIMA/INS/STP/003 |
| 33 | Atrazine                                                    | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01 | SIMA/INS/STP/003 |
| 34 | Azimsulfuron                                                | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01 | SIMA/INS/STP/003 |
| 35 | Azoxystrobin                                                | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01 | SIMA/INS/STP/003 |
| 36 | Benfuracarb                                                 | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01 | SIMA/INS/STP/003 |
| 37 | Benomyl                                                     | mg/kg | BLQ (LOQ - 0.01) | Max. 0.1  | SIMA/INS/STP/003 |
| 38 | Bensulfuron Methyl                                          | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01 | SIMA/INS/STP/003 |



*Rupa Rani*  
Rupa Rani  
Reviewed By

Authorized Signatory

*Raman Dwivedi*  
Raman Dwivedi  
Technical Manager

- Remarks:
1. This Test Report is not valid without a hologram.
  2. The Results listed refer only to the above tested sample & applicable parameters. Endorsement of products is neither inferred nor implied.
  3. Liability of laboratory is limited to the invoiced amount only. Any dispute arising out of this report shall be subject to Delhi jurisdiction only.
  4. This Test Report is not to be reproduced wholly or in part as evidence in the Court of law without written permission from SIMA Labs Pvt. Ltd.
  5. The Test Report should not be used wholly or in part in any advertising media without written permission from SIMA Labs Pvt. Ltd.
  6. The sample(s) of Drugs & Cosmetics will be destroyed after one year, Perishable samples (Other than Drugs & Cosmetics) will be destroyed after 7 days and non perishable samples will be destroyed after 30 days of the date of issue of Test Report or unless otherwise specified.
  7. SIMA Labs Pvt. Ltd. will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.
  8. SIMA Labs Pvt. Ltd. will ensure all corrective action as per our policy in case of any discrepancy in any sample tested by SIMA Labs Pvt. Ltd.
  9. Re-testing charges will be applicable in case the results are reproducible.
  10. Duplicable copy will be issued on chargeable basis.
  11. SIMA Stands for : Sophisticated Industrial Materials Analytic

Page : 2 of 10

SB

\* Indicates details provided by the customer



**SIMA LABS****Sophisticated Industrial Materials  
Analytic Labs Pvt. Ltd.**

(GOVT. APPROVED TESTING LABORATORIES)

Address : A-3/7, Mayapuri Industrial Area,  
Ph-II, New Delhi - 110064

Phone : +(91)-(011) 43854300

Email : reports@simalab.com

CIN No : U74899DL1988PTC031785

Website : www.simalab.net | www.simalab.com

**TEST REPORT**

Party Code : A/DLH/20675

REPORT NO. : MS0208000325

| S.No. | Test Parameters                                                                 | Unit  | Result           | Limit (as per FSSR-2011) | Method           |
|-------|---------------------------------------------------------------------------------|-------|------------------|--------------------------|------------------|
| 39    | Bentazone                                                                       | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 40    | Beta Cyfluthrin                                                                 | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 41    | Bifenthrin                                                                      | mg/kg | BLQ (LOQ - 0.01) | Max. 0.2                 | SIMA/INS/STP/003 |
| 42    | Bispyribac Sodium                                                               | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 43    | Bitertanol                                                                      | mg/kg | BLQ (LOQ - 0.01) | Max. 0.05                | SIMA/INS/STP/003 |
| 44    | Boscalid                                                                        | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 45    | Buprofezin                                                                      | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 46    | Butachlor                                                                       | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 47    | Captan                                                                          | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 48    | Carbaryl                                                                        | mg/kg | BLQ (LOQ - 0.01) | Max. 0.05                | SIMA/INS/STP/003 |
| 49    | Carbendazim                                                                     | mg/kg | BLQ (LOQ - 0.01) | Max. 0.1                 | SIMA/INS/STP/003 |
| 50    | Carbofuran (sum of carbofuran and 3-hydroxy carbofuran expressed as carbofuran) | mg/kg | BLQ (LOQ - 0.01) | Max. 0.05                | SIMA/INS/STP/003 |
| 51    | Carbosulfan                                                                     | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 52    | Carfentrazone Ethyl                                                             | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 53    | Carpropamid                                                                     | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 54    | Cartap Hydrochloride                                                            | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 55    | Chlorantraniliprole                                                             | mg/kg | BLQ (LOQ - 0.01) | Max. 0.05                | SIMA/INS/STP/003 |
| 56    | Chlorfenapyr                                                                    | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 57    | Chlorfluazuron                                                                  | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 58    | Chlorimuron ethyl                                                               | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 59    | Chlormequat Chloride (CCC)                                                      | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 60    | Chlorothalonil                                                                  | mg/kg | BLQ (LOQ - 0.01) | Max. 0.07                | SIMA/INS/STP/003 |
| 61    | Chlorpropham                                                                    | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 62    | Chlorpyrifos                                                                    | mg/kg | BLQ (LOQ - 0.01) | Max. 0.02                | SIMA/INS/STP/003 |
| 63    | Chlothianidin                                                                   | mg/kg | BLQ (LOQ - 0.01) | Max. 0.02                | SIMA/INS/STP/003 |
| 64    | Chromafenozide                                                                  | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 65    | Cinmethylen                                                                     | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 66    | Clodinafop-propargyl                                                            | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 67    | Clomazone                                                                       | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |



*Rupa Rani*  
Rupa Rani  
Reviewed By

Authorized Signatory

*Raman Dwivedi*  
Raman Dwivedi  
Technical Manager

Remarks: 1. This Test Report is not valid without a hologram.

2. The Results listed refer only to the above tested sample & applicable parameters. Endorsement of products is neither inferred nor implied.
3. Liability of laboratory is limited to the invoiced amount only. Any dispute arising out of this report shall be subject to Delhi jurisdiction only.
4. This Test Report is not to be reproduced wholly or in part as evidence in the Court of law without written permission from SIMA Labs Pvt. Ltd.
5. The Test Report should not be used wholly or in part in any advertising media without written permission from SIMA Labs Pvt. Ltd.
6. The sample(s) of Drugs & Cosmetics will be destroyed after one year, Perishable samples (Other than Drugs & Cosmetics) will be destroyed after 7 days and non perishable samples will be destroyed after 30 days of the date of issue of Test Report or unless otherwise specified.
7. SIMA Labs Pvt. Ltd. will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.
8. SIMA Labs Pvt. Ltd. will ensure all corrective action as per our policy in case of any discrepancy in any sample tested by SIMA Labs Pvt. Ltd.
9. Re-testing charges will be applicable in case the results are reproducible.
10. Duplicable copy will be issued on chargeable basis.
11. SIMA Stands for : Sophisticated Industrial Materials Analytic

\* Indicates details provided by the customer

Page : 3 of 10

SB



**SIMA LABS****Sophisticated Industrial Materials  
Analytic Labs Pvt. Ltd.**

(GOVT. APPROVED TESTING LABORATORIES)


Address : A-3/7, Mayapuri Industrial Area,  
Ph-II, New Delhi - 110064

Phone : +(91)-(011) 43854300

Email : reports@simalab.com

CIN No : U74899DL1988PTC031785

Website : www.simalab.net | www.simalab.com

**TEST REPORT**

Party Code : A/DLH/20675

REPORT NO. : MS0208000325

| S.No. | Test Parameters                                            | Unit  | Result           | Limit (as per FSSR-2011) | Method           |
|-------|------------------------------------------------------------|-------|------------------|--------------------------|------------------|
| 68    | Copper Hydroxide (Copper determined as elemental copper)   | mg/kg | BLQ (LOQ 0.250)  | Max. 30                  | SIMA/INS/STP/004 |
| 69    | Copper Oxychloride (Copper determined as elemental copper) | mg/kg | BLQ (LOQ 0.250)  | Max. 30                  | SIMA/INS/STP/004 |
| 70    | Copper Sulphate (Copper determined as elemental copper)    | mg/kg | BLQ (LOQ 0.250)  | Max. 30                  | SIMA/INS/STP/004 |
| 71    | Cuprous Oxide (Copper determined as elemental copper)      | mg/kg | BLQ (LOQ 0.250)  | Max. 30                  | SIMA/INS/STP/004 |
| 72    | Cyantranilipole                                            | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 73    | Cyazofamid                                                 | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 74    | Cyflumetofen                                               | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 75    | Cyhalofop-butyl                                            | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 76    | Cymoxanil                                                  | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 77    | Cypermethrin (sum of isomers)                              | mg/kg | BLQ (LOQ - 0.01) | Max. 0.05                | SIMA/INS/STP/003 |
| 78    | Deltamethrin                                               | mg/kg | BLQ (LOQ - 0.01) | Max. 0.05                | SIMA/INS/STP/003 |
| 79    | Diafenthion                                                | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 80    | Dichlorvos (DDVP)                                          | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 81    | Diclofop                                                   | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 82    | Diclosulam                                                 | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 83    | Dicofol                                                    | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 84    | Difenoconazole                                             | mg/kg | BLQ (LOQ - 0.01) | Max. 0.02                | SIMA/INS/STP/003 |
| 85    | Diffibenzuron                                              | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 86    | Dimethoate                                                 | mg/kg | BLQ (LOQ - 0.01) | Max. 0.05                | SIMA/INS/STP/003 |
| 87    | Dimethomorph                                               | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 88    | Dinocap                                                    | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 89    | Dinotefuran                                                | mg/kg | BLQ (LOQ - 0.01) | Max. 0.1                 | SIMA/INS/STP/003 |
| 90    | Dithianon                                                  | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 91    | Dithiocarbamates as CS <sub>2</sub>                        | mg/kg | BLQ (LOQ - 0.02) | Max. 0.05                | SIMA/INS/STP/003 |
| 92    | Diuron                                                     | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 93    | Dodine                                                     | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 94    | Edifenphos                                                 | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 95    | Emamectin Benzoate                                         | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |

*Rupa Rani*Rupa Rani  
Reviewed By

Authorized Signatory

*Raman Dwivedi*Raman Dwivedi  
Technical Manager

Remarks: 1. This Test Report is not valid without a hologram.

- The Results listed refer only to the above tested sample & applicable parameters. Endorsement of products is neither inferred nor implied.
- Liability of laboratory is limited to the invoiced amount only. Any dispute arising out of this report shall be subject to Delhi jurisdiction only.
- This Test Report is not to be reproduced wholly or in part as evidence in the Court of law without written permission from SIMA Labs Pvt. Ltd.
- The Test Report should not be used wholly or in part in any advertising media without written permission from SIMA Labs Pvt. Ltd.
- The sample(s) of Drugs & Cosmetics will be destroyed after one year, Perishable samples (Other than Drugs & Cosmetics) will be destroyed after 7 days and non perishable samples will be destroyed after 30 days of the date of issue of Test Report or unless otherwise specified.
- SIMA Labs Pvt. Ltd. will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.
- SIMA Labs Pvt. Ltd. will ensure all corrective action as per our policy in case of any discrepancy in any sample tested by SIMA Labs Pvt. Ltd.
- Re-testing charges will be applicable in case the results are reproducible.
- Duplicable copy will be issued on chargeable basis.
- SIMA Stands for : Sophisticated Industrial Materials Analytic

\* Indicates details provided by the customer

Page : 4 of 10

SB



**SIMA LABS****Sophisticated Industrial Materials  
Analytic Labs Pvt. Ltd.**

(GOVT. APPROVED TESTING LABORATORIES)

Address : A-3/7, Mayapuri Industrial Area,  
Ph-II, New Delhi - 110064

Phone : +(91)-(011) 43854300

Email : reports@simalab.com

CIN No : U74899DL1988PTC031785

Website : www.simalab.net | www.simalab.com

**TEST REPORT**

Party Code : A/DLH/20675

REPORT NO. : MS0208000325

| S.No. | Test Parameters    | Unit  | Result           | Limit (as per FSSR-2011) | Method           |
|-------|--------------------|-------|------------------|--------------------------|------------------|
| 96    | Epoxyconazole      | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 97    | Ethephon           | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 98    | Ethion             | mg/kg | BLQ (LOQ - 0.01) | Max. 0.05                | SIMA/INS/STP/003 |
| 99    | Ethofenprox        | mg/kg | BLQ (LOQ - 0.01) | Max. 0.02                | SIMA/INS/STP/003 |
| 100   | Ethoxysulfuron     | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 101   | Etoxazole          | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 102   | Famoxadone         | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 103   | Fenamidone         | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 104   | Fenarimol          | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 105   | Fenazaquin         | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 106   | Fenobucarb (BPMC)  | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 107   | Fenoxaprop-p-ethyl | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 108   | Fenpropathrin      | mg/kg | BLQ (LOQ - 0.01) | Max. 0.1                 | SIMA/INS/STP/003 |
| 109   | Fenpyroximate      | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 110   | Fenvalerate        | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 111   | Fipronil           | mg/kg | BLQ (LOQ - 0.01) | Max. 0.02                | SIMA/INS/STP/003 |
| 112   | Flonicamid         | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 113   | Fluazifop-p-butyl  | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 114   | Flubendiamide      | mg/kg | BLQ (LOQ - 0.01) | Max. 0.02                | SIMA/INS/STP/003 |
| 115   | Flucetosulfuron    | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 116   | Fluchloralin       | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 117   | Flufenacet         | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 118   | Fluopicolide       | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 119   | Flupyram           | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 120   | Flupyradifurone    | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 121   | Flusilazole        | mg/kg | BLQ (LOQ - 0.01) | Max. 0.05                | SIMA/INS/STP/003 |
| 122   | Fluvalinate        | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 123   | Fluxapyroxad       | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 124   | Fomesafen          | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 125   | Forchlorfenuron    | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 126   | Fosetyl-Al         | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |

*Rupa Rani*Rupa Rani  
Reviewed By

Authorized Signatory

*Raman Dwivedi*Raman Dwivedi  
Technical Manager

Remarks: 1. This Test Report is not valid without a hologram.

- The Results listed refer only to the above tested sample & applicable parameters. Endorsement of products is neither inferred nor implied.
- Liability of laboratory is limited to the invoiced amount only. Any dispute arising out of this report shall be subject to Delhi jurisdiction only.
- This Test Report is not to be reproduced wholly or in part as evidence in the Court of law without written permission from SIMA Labs Pvt. Ltd.
- The Test Report should not be used wholly or in part in any advertising media without written permission from SIMA Labs Pvt. Ltd.
- The sample(s) of Drugs & Cosmetics will be destroyed after one year, Perishable samples (Other than Drugs & Cosmetics) will be destroyed after 7 days and non perishable samples will be destroyed after 30 days of the date of issue of Test Report or unless otherwise specified.
- SIMA Labs Pvt. Ltd. will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.
- SIMA Labs Pvt. Ltd. will ensure all corrective action as per our policy in case of any discrepancy in any sample tested by SIMA Labs Pvt. Ltd.
- Re-testing charges will be applicable in case the results are reproducible.
- Duplicable copy will be issued on chargeable basis.
- SIMA Stands for : Sophisticated Industrial Materials Analytic

\* Indicates details provided by the customer

Page : 5 of 10

SB



**SIMA LABS****Sophisticated Industrial Materials  
Analytic Labs Pvt. Ltd.**

(GOVT. APPROVED TESTING LABORATORIES)

Address : A-3/7, Mayapuri Industrial Area,  
Ph-II, New Delhi - 110064

Phone : +(91)-(011) 43854300

Email : reports@simalab.com

CIN No : U74899DL1988PTC031785

Website : www.simalab.net | www.simalab.com

**TEST REPORT**

Party Code : A/DLH/20675

REPORT NO. : MS0208000325

| S.No. | Test Parameters            | Unit  | Result           | Limit (as per FSSR-2011) | Method           |
|-------|----------------------------|-------|------------------|--------------------------|------------------|
| 127   | Glufosinate Ammonium       | mg/kg | BLQ (LOQ - 0.01) | Max. 0.02                | SIMA/INS/STP/003 |
| 128   | Glyphosate                 | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 129   | Halosulfuron methyl        | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 130   | Haloxypyr-R Methyl         | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 131   | Hexaconazole               | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 132   | Hexazinone                 | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 133   | Hexythiazox                | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 134   | Hydrogen Cyanamide         | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 135   | Imazamox                   | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 136   | Imazethapyr                | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 137   | Imidacloprid               | mg/kg | BLQ (LOQ - 0.01) | Max. 0.1                 | SIMA/INS/STP/003 |
| 138   | Indoxacarb                 | mg/kg | BLQ (LOQ - 0.01) | Max. 0.1                 | SIMA/INS/STP/003 |
| 139   | Iodosulfuron Methyl Sodium | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 140   | Ipobenzofos (Kitazin)      | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 141   | Iprodione                  | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 142   | Isoprothiolane             | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 143   | Isoproturon                | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 144   | Kasugamycin                | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 145   | Kresoxim Methyl            | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 146   | Lambda cyhalothrin         | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 147   | Linuron                    | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 148   | Lufenuron                  | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 149   | Malathion                  | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 150   | Mandipropamid              | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 151   | Mepiquat Chloride          | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 152   | Mesosulfuron Methyl        | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 153   | Metaflumizone              | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 154   | Metalaxyl                  | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 155   | Metalaxyl-M                | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 156   | Methabenzthiazuron         | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 157   | Methomyl                   | mg/kg | BLQ (LOQ - 0.01) | Max. 0.02                | SIMA/INS/STP/003 |

*Rupa Rani*Rupa Rani  
Reviewed By

Authorized Signatory

*Raman Dwivedi*Raman Dwivedi  
Technical Manager

Remarks: 1. This Test Report is not valid without a hologram.

2. The Results listed refer only to the above tested sample &amp; applicable parameters. Endorsement of products is neither inferred nor implied.

3. Liability of laboratory is limited to the invoiced amount only. Any dispute arising out of this report shall be subject to Delhi jurisdiction only.

4. This Test Report is not to be reproduced wholly or in part as evidence in the Court of law without written permission from SIMA Labs Pvt. Ltd.

5. The Test Report should not be used wholly or in part in any advertising media without written permission from SIMA Labs Pvt. Ltd.

6. The sample(s) of Drugs &amp; Cosmetics will be destroyed after one year, Perishable samples (Other than Drugs &amp; Cosmetics) will be destroyed after 7 days and non perishable samples will be destroyed after 30 days of the date of issue of Test Report or unless otherwise specified.

7. SIMA Labs Pvt. Ltd. will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

8. SIMA Labs Pvt. Ltd. will ensure all corrective action as per our policy in case of any discrepancy in any sample tested by SIMA Labs Pvt. Ltd.

9. Re-testing charges will be applicable in case the results are reproducible.

10. Duplicable copy will be issued on chargeable basis.

11. SIMA Stands for : Sophisticated Industrial Materials Analytic

Page : 6 of 10

SB

\* Indicates details provided by the customer



**SIMA LABS****Sophisticated Industrial Materials  
Analytic Labs Pvt. Ltd.**

(GOVT. APPROVED TESTING LABORATORIES)

Address : A-3/7, Mayapuri Industrial Area,  
Ph-II, New Delhi - 110064

Phone : +(91)-(011) 43854300

Email : reports@simalab.com

CIN No : U74899DL1988PTC031785

Website : www.simalab.net | www.simalab.com

**TEST REPORT**

Party Code : A/DLH/20675

REPORT NO. : MS0208000325

| S.No. | Test Parameters                                                                                      | Unit  | Result           | Limit (as per FSSR-2011) | Method           |
|-------|------------------------------------------------------------------------------------------------------|-------|------------------|--------------------------|------------------|
| 158   | Methyl Chlorophenoxy Acetic Acid (MCPA)                                                              | mg/kg | BLQ (LOQ - 0.01) | Max. 0.04                | SIMA/INS/STP/003 |
| 159   | Methyl Parathion                                                                                     | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 160   | Metolachlor                                                                                          | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 161   | Metrafenone                                                                                          | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 162   | Metribuzin                                                                                           | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 163   | Metsulfuron Methyl                                                                                   | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 164   | Milbemectin                                                                                          | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 165   | Monocrotophos                                                                                        | mg/kg | BLQ (LOQ - 0.01) | Max. 0.02                | SIMA/INS/STP/003 |
| 166   | Myclobutanil                                                                                         | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 167   | Novaluron                                                                                            | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 168   | Orthosulfamuron                                                                                      | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 169   | Oxadiazyl                                                                                            | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 170   | Oxadiazon                                                                                            | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 171   | Oxydemeton-Methyl                                                                                    | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 172   | Oxyfluorfen                                                                                          | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 173   | Paclobutrazol                                                                                        | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 174   | Paraquat dichloride                                                                                  | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 175   | Penconazole                                                                                          | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 176   | Pencycuron                                                                                           | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 177   | Pendimethalin                                                                                        | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 178   | Penoxuslum                                                                                           | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 179   | Permethrin                                                                                           | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 180   | Phenthoate                                                                                           | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 181   | Phorate (sum of Phorate, its oxygen analogue and their Sulphoxides & Sulphones expressed as phorate) | mg/kg | BLQ (LOQ - 0.01) | Max. 0.05                | SIMA/INS/STP/003 |
| 182   | Phosalone                                                                                            | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 183   | Picoxystrobin                                                                                        | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 184   | Pinoxaden                                                                                            | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 185   | Pirimiphos-methyl                                                                                    | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |

*Rupa Rani*Rupa Rani  
Reviewed By

Authorized Signatory

*Raman Dwivedi*Raman Dwivedi  
Technical Manager

Remarks: 1. This Test Report is not valid without a hologram.

2. The Results listed refer only to the above tested sample &amp; applicable parameters. Endorsement of products is neither inferred nor implied.

3. Liability of laboratory is limited to the invoiced amount only. Any dispute arising out of this report shall be subject to Delhi jurisdiction only.

4. This Test Report is not to be reproduced wholly or in part as evidence in the Court of law without written permission from SIMA Labs Pvt. Ltd.

5. The Test Report should not be used wholly or in part in any advertising media without written permission from SIMA Labs Pvt. Ltd.

6. The sample(s) of Drugs &amp; Cosmetics will be destroyed after one year, Perishable samples (Other than Drugs &amp; Cosmetics) will be destroyed after 7 days and non perishable samples will be destroyed after 30 days of the date of issue of Test Report or unless otherwise specified.

7. SIMA Labs Pvt. Ltd. will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

8. SIMA Labs Pvt. Ltd. will ensure all corrective action as per our policy in case of any discrepancy in any sample tested by SIMA Labs Pvt. Ltd.

9. Re-testing charges will be applicable in case the results are reproducible.

10. Duplicable copy will be issued on chargeable basis.

11. SIMA Stands for : Sophisticated Industrial Materials Analytic

Page : 7 of 10

SB

\* Indicates details provided by the customer



**SIMA LABS****Sophisticated Industrial Materials  
Analytic Labs Pvt. Ltd.**

(GOVT. APPROVED TESTING LABORATORIES)

Address : A-3/7, Mayapuri Industrial Area,  
Ph-II, New Delhi - 110064

Phone : +(91)-(011) 43854300

Email : reports@simalab.com

CIN No : U74899DL1988PTC031785

Website : www.simalab.net | www.simalab.com

**TEST REPORT**

Party Code : A/DLH/20675

REPORT NO. : MS0208000325

| S.No. | Test Parameters                                         | Unit  | Result           | Limit (as per FSSR-2011) | Method           |
|-------|---------------------------------------------------------|-------|------------------|--------------------------|------------------|
| 186   | Pretilachlor                                            | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 187   | Profenofos                                              | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 188   | Prohexadione calcium                                    | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 189   | Propanil                                                | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 190   | Propaquizafop                                           | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 191   | Propargite                                              | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 192   | Propiconazole                                           | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 193   | Propineb                                                | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 194   | Pymetrozine                                             | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 195   | Pyraclostrobin                                          | mg/kg | BLQ (LOQ - 0.01) | Max. 0.03                | SIMA/INS/STP/003 |
| 196   | Pyrazosulfuron ethyl                                    | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 197   | Pyridalyl                                               | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 198   | Pyriproxyfen                                            | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 199   | Pyriitholac Sodium                                      | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 200   | Quinalphos                                              | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 201   | Quizalofop ethyl                                        | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 202   | Quizalofop-P-tefuryl                                    | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 203   | Sodium Aceflourofen                                     | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 204   | Sodium Para Nitro Phenolate                             | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 205   | Spinetoram                                              | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 206   | Spinosad                                                | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 207   | Spiromesifen                                            | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 208   | Spirotetramat                                           | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 209   | Sulfentrazone                                           | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 210   | Sulfosulfuron                                           | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 211   | Sulfoxaflor                                             | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 212   | Sum of benomyl and carbendazim expressed as carbendazim | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 213   | Tebuconazole                                            | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 214   | Tembotrione                                             | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 215   | Tetraconazole                                           | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |

*Rupa Rani*Rupa Rani  
Reviewed By

Authorized Signatory

*Raman Dwivedi*Raman Dwivedi  
Technical Manager

- Remarks:
1. This Test Report is not valid without a hologram.
  2. The Results listed refer only to the above tested sample & applicable parameters. Endorsement of products is neither inferred nor implied.
  3. Liability of laboratory is limited to the invoiced amount only. Any dispute arising out of this report shall be subject to Delhi jurisdiction only.
  4. This Test Report is not to be reproduced wholly or in part as evidence in the Court of law without written permission from SIMA Labs Pvt. Ltd.
  5. The Test Report should not be used wholly or in part in any advertising media without written permission from SIMA Labs Pvt. Ltd.
  6. The sample(s) of Drugs & Cosmetics will be destroyed after one year, Perishable samples (Other than Drugs & Cosmetics) will be destroyed after 7 days and non perishable samples will be destroyed after 30 days of the date of issue of Test Report or unless otherwise specified.
  7. SIMA Labs Pvt. Ltd. will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.
  8. SIMA Labs Pvt. Ltd. will ensure all corrective action as per our policy in case of any discrepancy in any sample tested by SIMA Labs Pvt. Ltd.
  9. Re-testing charges will be applicable in case the results are reproducible.
  10. Duplicable copy will be issued on chargeable basis.
  11. SIMA Stands for : Sophisticated Industrial Materials Analytic

Page : 8 of 10

SB

\* Indicates details provided by the customer



**SIMA LABS****Sophisticated Industrial Materials  
Analytic Labs Pvt. Ltd.**

(GOVT. APPROVED TESTING LABORATORIES)

Address : A-3/7, Mayapuri Industrial Area,  
Ph-II, New Delhi - 110064

Phone : +(91)-(011) 43854300

Email : reports@simalab.com

CIN No : U74899DL1988PTC031785

Website : www.simalab.net | www.simalab.com

**TEST REPORT**

Party Code : A/DLH/20675

REPORT NO. : MS0208000325

| S.No. | Test Parameters                                                        | Unit  | Result           | Limit (as per FSSR-2011) | Method           |
|-------|------------------------------------------------------------------------|-------|------------------|--------------------------|------------------|
| 216   | Thiacloprid                                                            | mg/kg | BLQ (LOQ - 0.01) | Max. 0.05                | SIMA/INS/STP/003 |
| 217   | Thiamethoxam                                                           | mg/kg | BLQ (LOQ - 0.01) | Max. 0.05                | SIMA/INS/STP/003 |
| 218   | Thifluzamide                                                           | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 219   | Thiocyclam Hydrogen Oxalate                                            | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 220   | Thiodicarb                                                             | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 221   | Thiometon                                                              | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 222   | Thiometon sulfoxide                                                    | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 223   | Thiophanate-Methyl                                                     | mg/kg | BLQ (LOQ - 0.01) | Max. 0.05                | SIMA/INS/STP/003 |
| 224   | Tolfenpyrad                                                            | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 225   | Topramezone                                                            | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 226   | Triaccontanol                                                          | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 227   | Triadimefon                                                            | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 228   | Triallate                                                              | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 229   | Triazophos                                                             | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 230   | Triasulfuron                                                           | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 231   | Trichlorfon                                                            | mg/kg | BLQ (LOQ - 0.01) | Max. 0.05                | SIMA/INS/STP/003 |
| 232   | Tricyclazole                                                           | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 233   | Tridemorph                                                             | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 234   | Trifloxystrobin                                                        | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 235   | Trifluralin                                                            | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 236   | Validamycin                                                            | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 237   | Aldicarb                                                               | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 238   | Aldrin                                                                 | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 239   | Chlordane (Total of cis- and trans-chlordane)                          | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 240   | Dieldrin                                                               | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 241   | Heptachlor ( heptachlor metabolite, heptachlor epoxide)                | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 242   | Lindane (Gamma HCH), Alpha HCH, Beta HCH & delta-HCH)                  | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 243   | Endosulfan (Total of alpha endosulfan & beta endosulfan and endosulfan | mg/kg | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |

*Rupa Rani*Rupa Rani  
Reviewed By

Authorized Signatory

*Raman Dwivedi*Raman Dwivedi  
Technical Manager

Remarks: 1. This Test Report is not valid without a hologram.

2. The Results listed refer only to the above tested sample &amp; applicable parameters. Endorsement of products is neither inferred nor implied.

3. Liability of laboratory is limited to the invoiced amount only. Any dispute arising out of this report shall be subject to Delhi jurisdiction only.

4. This Test Report is not to be reproduced wholly or in part as evidence in the Court of law without written permission from SIMA Labs Pvt. Ltd.

5. The Test Report should not be used wholly or in part in any advertising media without written permission from SIMA Labs Pvt. Ltd.

6. The sample(s) of Drugs &amp; Cosmetics will be destroyed after one year, Perishable samples (Other than Drugs &amp; Cosmetics) will be destroyed after 7 days

and non perishable samples will be destroyed after 30 days of the date of issue of Test Report or unless otherwise specified.

7. SIMA Labs Pvt. Ltd. will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

8. SIMA Labs Pvt. Ltd. will ensure all corrective action as per our policy in case of any discrepancy in any sample tested by SIMA Labs Pvt. Ltd.

9. Re-testing charges will be applicable in case the results are reproducible.

10. Duplicable copy will be issued on chargeable basis.

11. SIMA Stands for : Sophisticated Industrial Materials Analytic

Page : 9 of 10

SB

\* Indicates details provided by the customer



**SIMA LABS****Sophisticated Industrial Materials  
Analytic Labs Pvt. Ltd.**

(GOVT. APPROVED TESTING LABORATORIES)

Address : A-3/7, Mayapuri Industrial Area,  
Ph-II, New Delhi - 110064

Phone : +(91)-(011) 43854300

Email : reports@simalab.com

CIN No : U74899DL1988PTC031785

Website : www.simalab.net | www.simalab.com

**TEST REPORT**

| Party Code : A/DLH/20675 |                 | REPORT NO. |                  | : MS0208000325           |                  |
|--------------------------|-----------------|------------|------------------|--------------------------|------------------|
| S.No.                    | Test Parameters | Unit       | Result           | Limit (as per FSSR-2011) | Method           |
| 243                      | sulphate)       |            |                  |                          |                  |
| 244                      | Phosphamidon    | mg/kg      | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 245                      | Captafol        | mg/kg      | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 246                      | Ferbam          | mg/kg      | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 247                      | Formothion      | mg/kg      | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 248                      | Simazine        | mg/kg      | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 249                      | Diazinon        | mg/kg      | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 250                      | Fenitrothion    | mg/kg      | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 251                      | Fenthion        | mg/kg      | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| 252                      | Ethyl Parathion | mg/kg      | BLQ (LOQ - 0.01) | Max. 0.01                | SIMA/INS/STP/003 |
| Other contaminations:    |                 |            |                  |                          |                  |
| 253                      | Melamine        | mg/kg      | BLQ (LOQ - 0.25) | Max. 2.5                 | SIMA/INS/STP/024 |
| Crop contaminants        |                 |            |                  |                          |                  |
| 254                      | Aflatoxin M1    | µg/kg      | BLQ (LOQ - 0.5)  | Not Specified            | SIMA/INS/STP/034 |

BLQ = Below Limit of Quantification, LOQ = Limit of Quantification

--- End of Test Report ---

*Rupa Rani*

Rupa Rani

Reviewed By

Authorized Signatory

*Raman Dwivedi*

Raman Dwivedi

Technical Manager

- Remarks:
1. This Test Report is not valid without a hologram.
  2. The Results listed refer only to the above tested sample & applicable parameters. Endorsement of products is neither inferred nor implied.
  3. Liability of laboratory is limited to the invoiced amount only. Any dispute arising out of this report shall be subject to Delhi jurisdiction only.
  4. This Test Report is not to be reproduced wholly or in part as evidence in the Court of law without written permission from SIMA Labs Pvt. Ltd.
  5. The Test Report should not be used wholly or in part in any advertising media without written permission from SIMA Labs Pvt. Ltd.
  6. The sample(s) of Drugs & Cosmetics will be destroyed after one year, Perishable samples (Other than Drugs & Cosmetics) will be destroyed after 7 days and non perishable samples will be destroyed after 30 days of the date of issue of Test Report or unless otherwise specified.
  7. SIMA Labs Pvt. Ltd. will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.
  8. SIMA Labs Pvt. Ltd. will ensure all corrective action as per our policy in case of any discrepancy in any sample tested by SIMA Labs Pvt. Ltd.
  9. Re-testing charges will be applicable in case the results are reproducible.
  10. Duplicable copy will be issued on chargeable basis.
  11. SIMA Stands for: Sophisticated Industrial Materials Analytic

Page : 10 of 10

SB

\* Indicates details provided by the customer